

# HDC Orange Box Solar PT Camera



**Model - SLR-2**

## Features:

- Support Multi-User Remote Preview
- Support PIR Or APP Wake-Up
- Built-in Battery Power Supply
- Support Low Battery Sleep Protection Battery
- Support Solar Charging Support Dual Light Sources
- Support Humanoid Tracking
- Support Two-Way Voice Intercom
- Supports Standard ONVIF Protocol

Model	SLR-2
Brand	<b>HDC Orange Box</b> Smart Cameras
Image Sensor	1/2.7 CMOS sensor
Resolution	1920*1080, 2MP@15fps
Minimum illumination	Color: 0.01Lux @ (F1.2,AGC ON); 0 Lux with IR Black and white: 0.001Lux @ (F1.2,AGC ON), 0 Lux with IR
Shutter	1/50 (1/60) second to 1/10,000 second
Day and night conversion mode	IR-CUT automatic switching
Video compression standard	H.264+/H.265X video encoding compression
Compressed output bit rate	0.1Mbps~8Mbps

Audio compression standard	G.711a
Connection method	Support wifi connection
Power supply	DC5V±10% Solar panel power: 8W
Power consumption	6W MAX
Infrared distance	10-30 meters
Protection level	IP66
Working temperature and humidity	-10°C~60°C, humidity less than 90% (no condensation)
Manufacturer	HD Crystal Technology India